

Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

BW Skip Hire Limited

BW Skip Hire
245 Whitehall Road
Leeds
West Yorkshire
LS12 6ER

Variation application number

EPR/GP3897LZ/V005

Permit number

EPR/GP3897LZ

BW Skip Hire

Permit number EPR/GP3897LZ

Introductory note

This introductory note does not form a part of the notice

Under the Environmental Permitting (England & Wales) Regulations 2016 (schedule 5, part 1, paragraph 19) a variation may comprise a consolidated permit reflecting the variations and a notice specifying the variations included in that consolidated permit.

Schedule 1 of the notice specifies the conditions that have been varied and schedule 2 comprises a consolidated permit which reflects the variations being made. All the conditions of the permit have been varied and are subject to the right of appeal.

This variation makes the following changes to the permit:

- Variation from a standard rules permit to a bespoke permit. The activities on site shall continue to consist of a Household, Commercial and Industrial (HCI) transfer station activity and an End of Life Vehicle (ELV) dismantling activity.
- An amendment to the site infrastructure and storage areas, including impermeable site surfacing for all outdoor waste storage areas, a purpose-built firewater containment feature, and the construction of a new building for the purposes of waste receipt, treatment and storage. The new building will be fully enclosed, and feature roller shutter doors, a fire suppression system. The existing picking line plant room is to be fitted with acoustic louvres and a silencer.
- The addition of the following waste codes
 - 16 01 07*
 - 16 01 11*
 - 16 01 12
 - 16 02 11*
 - 16 02 13*
 - 20 01 21*
 - 20 01 23*

The permit boundary shall not change as a result of the variation, and there are no new emission points.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application EAWML 65160	Duly made 19/03/93	
Permit determined EAWML 65160	17/03/94	
Modification EAWML 65160	23/05/97	
Modification EAWML 65160	05/01/04	
Application EPR/GP3897LZ/T001 (Full transfer of permit EAWML 65160 - EPR/YP3294ZL)	Duly made 19/07/10	
Additional Information Received	17/07/10	
Transfer determined EPR/GP3897LZ	30/07/10	

Status log of the permit		
Description	Date	Comments
Application EPR/GP3897LZ/V002 (variation)	Duly Made 03/02/11	
Variation determined EPR/GP3897LZ	14/02/11	
Application EPR/GP3897LZ/V003 (variation and consolidation)	Duly Made 03/02/11	Application to consolidate permits EPR/GP3897LZ (EAWML 65160) and EPR/PP3392ZV (EAWML 65187).
Consolidation determined EPR/GP3897LZ	02/03/11	
Application EPR/GP3897LZ/V004 (variation)	22/11/17	
Application returned	15/02/18	
Application EPR/GP3897LZ/V005 (variation and single permit consolidation)	Duly made 21/01/19	Application to vary the existing consolidated Standard Rules permit into a bespoke permit; addition of new building and new waste codes.
Additional information received	03/05/19	Response to Schedule 5 Notice comprising of Noise Impact Assessment and further information on the storage and treatment of hazardous waste.
Additional information received	12/08/19	Revised Odour Management Plan.
Additional information received	15/08/19	Revised Fire Prevention Plan.
Additional information received	06/12/19	Email confirmation of Noise Management Controls.
Variation determined EPR/GP3897LZ	25/02/20	Varied permit issued.

End of introductory note

Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2016

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2016 varies

Permit number

EPR/GP3897LZ

Issued to

BW Skip Hire Limited (“the operator”)

whose registered office is

263 Whitehall Road

Leeds

LS12 6ER

company registration number 03289609

to operate a regulated facility at

BW Skip Hire

245 Whitehall Road

Leeds

West Yorkshire

LS12 6ER

to the extent set out in the schedules.

The notice shall take effect from 25/02/20.

Name	Date
Louise Hann	25/02/20

Authorised on behalf of the Environment Agency

Schedule 1

All conditions have been varied by the consolidated permit as a result of the application made by the operator.

Schedule 2 – consolidated permit

Consolidated permit issued as a separate document.

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/GP3897LZ

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/GP3897LZ/V005 authorising,

BW Skip Hire Limited (“the operator”),

whose registered office is

263 Whitehall Road

Leeds

LS12 6ER

company registration number 03289609

to operate waste operations at

BW Skip Hire

245 Whitehall Road

Leeds

West Yorkshire

LS12 6ER

to the extent authorised by and subject to the conditions of this permit.

Name	Date
Louise Hann	25/02/20

Authorised on behalf of the Environment Agency

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Avoidance, recovery and disposal of wastes produced by the activities

- 1.2.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
 - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
 - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.2.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).

2.2 The site

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

2.3.2 If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

2.3.3 Waste shall only be accepted if:

- (a) it is of a type and quantity listed in schedule 2 tables S2.1, S2.2; and
- (b) it conforms to the description in the documentation supplied by the producer and holder.

2.4 Hazardous waste storage and treatment

2.4.1 Hazardous waste shall not be mixed, either with a different category of hazardous waste or with other waste, substances or materials, unless it is authorised by schedule 1 table S1.1 and appropriate measures are taken.

2.5 Vehicle depollution and dismantling

2.5.1 As a minimum, all waste motor vehicles shall be treated to the standards specified in table S1.3.

2.6 WEEE storage

2.6.1 Spillage collection facilities and, where appropriate, decanters and cleanser-degreasers shall be provided and used as necessary.

2.6.2 WEEE (disassembled spare parts, components and residues) shall be stored in areas provided with a weatherproof covering where appropriate or in containers providing a weatherproof covering where appropriate.

2.7 Improvement programme

2.7.1 The operator shall complete the improvements specified in schedule 1 table S1.4 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.

2.7.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

2.8 Pre-operational conditions

2.8.1 The operations specified in schedule 1 table S1.5 shall not commence until the measures specified in that table have been completed.

3 Emissions and monitoring

3.1 Emissions of substances not controlled by emission limits

3.1.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.

3.1.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
- (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.1.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.2 Odour

3.2.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.

3.3 Noise and vibration

3.3.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.3.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.4 Pests

3.4.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.

3.4.2 The operator shall:

- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution, hazard or annoyance from pests;
- (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

3.5 Fire prevention

3.5.1 The operator shall take all appropriate measures to prevent fires on site and minimise the risk of pollution from them including, but not limited to, those specified in any approved fire prevention plan.

4 Information

4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
 - (i) off-site environmental effects; and
 - (ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 Within one month of the end of each year, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous year.

4.3 Notifications

4.3.1 The Environment Agency shall be notified without delay following the detection of:

- (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
- (b) the breach of a limit specified in the permit; or
- (c) any significant adverse environmental effects.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) the Environment Agency shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

Schedule 1 – Operations

Table S1.1 activities	
Description of activities for waste operations	Limits of activities
<p>Vehicle storage, depollution and dismantling (authorised treatment) facility.</p> <p>R3: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes)</p> <p>R4: Recycling/ reclamation of metals and metal compounds</p> <p>R5: Recycling/ reclamation of other inorganic compounds</p> <p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p>	<p>Treatment operations shall be limited to:</p> <p>Treatment consisting only of depollution of waste motor vehicles and sorting, separation, grading, baling, shearing, compacting, crushing or cutting of waste into different components for recovery of wastes.</p> <p>Except for waste motor vehicles (and WEEE awaiting manual sorting, manual dismantling, repair or refurbishment only), the maximum quantity of hazardous waste (in aggregate) that can be stored at the site shall not exceed 50 tonnes at any one time.</p> <p>Subject to any other requirements of this permit wastes shall be stored for no longer than 3 years prior to recovery.</p> <p>Uncontaminated plastic, glass and ferrous and non-ferrous metal wastes (including depolluted waste motor vehicles) arising from the treatment of end-of-life vehicles shall be stored on hard standing or an impermeable surface with sealed drainage system.</p> <p>There shall be no treatment of lead acid batteries, other than sorting and separating from other wastes, and repackaging for third party processing.</p> <p>Lead acid batteries shall be stored upright in containers with the electrical connectors pointing upwards. The containers shall be impermeable with an acid resistant base and, unless stored under weatherproof covering, a lid to prevent ingress of water.</p> <p>Other batteries and accumulators shall be stored under weatherproof covering or in suitable containers. Batteries of different types and chemistry shall be stored separately.</p> <p>Waste types as specified in Table S2.1.</p>
<p>Household, commercial and industrial waste transfer station with storage of hazardous waste</p> <p>R3: Recycling/reclamation of organic substances which are not used as solvents</p> <p>R4: Recycling/ reclamation of metals and metal compounds</p> <p>R5: Recycling/ reclamation of other inorganic compounds</p> <p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>D9: Physical / physico-chemical treatment of waste prior to any other disposal operation.</p> <p>D14: Repackaging prior to submission to any of the operations numbered D1 to D13</p>	<p>Treatment consisting only of manual sorting, separation, screening, baling, shredding, crushing or compaction of non-hazardous waste into different components for disposal, (no more than 50 tonnes per day) or recovery.</p> <p>Temporary storage of hazardous waste shall not exceed 50 tonnes pending any of the activities listed in Part A (1) Section 5.1, 5.2, 5.3 of the EP Regulations.</p> <p>No more than 50 tonnes per day of non-hazardous waste to be treated at the site under a D9 activity.</p> <p>Waste types as specified in Table S2.2.</p>

Table S1.1 activities	
i.e. bulking up transfer stations prior to disposal.	
D15: Temporary storage of waste pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)	

Table S1.2 Operating techniques		
Description	Parts	Date Received
Additional Information	Dust Management Plan <i>(document ref.: Dust Management Plan - Version 1.3 Dated: April 2019)</i>	01/04/2019
Additional information	Document detailing the handling and storage of hazardous waste onsite in incidental quantities. <i>(document ref.: Application - Variation - Haz waste storage (PDF) - Application to modify environmental permit- Treating and storing hazardous waste)</i>	03/05/2019
Response to Schedule 5 Notice dated 21/02/2019	Noise control measures stated in the section 4.4, 4.5 and 4.6 of the Noise Impact Assessment, and as summarised in section 'Recommendation and Mitigation Measure Overview'. <i>(document ref.: Noise Impact assessment of a Waste Transfer station- Project number 3298BW- Dated 28/04/2019)</i>	03/05/2019
Additional information	Approved Odour Management Plan. <i>(document ref.: Environment Management System- Odour Management Plan- Version 1.4 August 2019)</i>	12/08/2019
Additional information	Approved Fire Prevention Plan consisting of the following documents: Fire Prevention Plan (document ref.: <i>Environment Management System - Fire Prevention Plan Version 1.4 - Dated: July 2019</i>). Appendix A Drawings: Drawing No.GP3897LZ/04- Site Layout Pan Drawing No.GP3897LZ/05- Site Drainage Plan Drawing No.GP3897LZ/06- Waste Storage Areas Drawing No.GP3897LZ/05- Current (May 2019) Extent of Unmade Ground Appendix B Daily FPP Checklist Appendix C Yard Managers FPP Monitoring Form The operator shall ensure that all wastes are to be stored as described within the approved Fire Prevention Plan (FPP), thereby restricting the wastes that are to be stored externally and internally. All wastes are to be stored in the locations depicted in Drawing No.GP3897LZ/06. All wastes are to be stored to the pile sizes and containment arrangements as described on p13 of the FPP.	15/08/2019

Table S1.2 Operating techniques		
Description	Parts	Date Received
	All waste shall be stored and treated on an impermeable surface, with a sealed drainage system, as confirmed within the approved FPP.	
Additional information	Noise Control Measures as stated within email. <i>(document ref.: Email - Subject: Application - Variation - EPR/GP3897LZ/V005 Dated: 06/12/2019 16:15).</i>	06/12/2019

Table S1.3 Waste motor vehicle treatment minimum technical requirements
<p>1. Treatment operations for depollution of end-of-life vehicles:</p> <ul style="list-style-type: none"> • removal of batteries and liquefied gas tanks, • removal or neutralisation of potential explosive components, (e.g. air bags), removal and separate collection and storage of fuel, motor oil, transmission oil, gearbox oil, hydraulic oil, cooling liquids, antifreeze, brake fluids, air-conditioning system fluids and any other fluid contained in the end-of-life vehicle, unless they are necessary for the re-use of the parts concerned, • removal, as far as feasible, of all components identified as containing mercury. <p>2. Treatment operations in order to promote recycling:</p> <ul style="list-style-type: none"> • removal of catalysts, • removal of metal components containing copper, aluminium and magnesium if these metals are not segregated in the shredding process, • removal of tyres, glass and large plastic components (bumpers, dashboard, fluid containers, etc), if these materials are not segregated in the shredding process in such a way that they can be effectively recycled as materials.

Table S1.4 Improvement programme requirements		
Reference	Requirement	Date
IC1	<p>The operator shall submit details in writing to the Environment Agency for approval, confirming that the following have been constructed or installed on site:</p> <ol style="list-style-type: none"> A fully enclosed building for the purpose of waste receipt, treatment and storage A UKAS-accredited fire suppression system within the above building A purpose-built firewater containment feature Impermeable site surfacing for all outdoor waste storage areas Roller shutter doors fitted to the new waste reception building Acoustic louvres installed on the sorting line plant room outlet Silencer fitted on the sorting line plant room exhaust <p>The improvements as described above shall be in accordance with the specifications outlined within the following documents: Approved Fire Prevention Plan (<i>document reference: Environment Management System- Fire Prevention Plan Version 1.4 – Dated: July 2019</i>) Approved Odour Management Plan (<i>document reference: Environment Management System- Odour Management Plan- Version 1.4 August 2019</i>)</p>	1 year from the issue of variation EPR/GP3897LZ/V005, or as otherwise agreed by the Environment Agency

Table S1.4 Improvement programme requirements		
Reference	Requirement	Date
	Noise Impact Assessment (<i>document ref.: Noise Impact assessment of a Waste Transfer station- Project number 3298BW- Dated 28/04/2019</i>)	
IC2	<p>The operator shall submit a written Dust Management Plan to the Environment Agency for technical assessment and approval. The plan must consider the changes to the permit as per variation EPR/GP3897LZ/V005, and the changes to the infrastructure and storage areas on site.</p> <p>The plan must consider and comply with the Environment Agency guidance 'Control and monitor emissions for your environmental permit - 'Emissions management plan for dust'.</p>	1 year from the issue of variation EPR/GP3897LZ/V005, or as otherwise agreed by the Environment Agency

Table S1.5 Pre-operational measures for future development		
Reference	Operation	Pre-operational measures
PO1	The operator shall not undertake wood storage activities on the site	<p>The operator shall not undertake wood storage activities on the site until the wood is stored on an impermeable surface with a sealed drainage system.</p> <p>The site surfacing and drainage system must be constructed in accordance with the specifications as outlined within the approved Fire Prevention Plan (document reference: <i>Environment Management System- Fire Prevention Plan Version 1.4 – Dated: July 2019</i>).</p>

Schedule 2 – Waste types, raw materials and fuels

Table S2.1 Permitted waste types and quantities for Vehicle storage, depollution and dismantling (authorised treatment) facility.	
Maximum Quantities	The total quantity of waste accepted at the site for the above activity shall be less than 25,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: Consisting solely or mainly of dusts, powders or loose fibres
Waste code	Description
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 03	end of life tyres
16 01 04*	end-of-life vehicles
16 01 06	end-of life vehicles (containing neither liquids nor other hazardous components)
16 01 07*	oil filters
16 01 11*	brake pads containing asbestos
16 01 12	brake pads other than those mentioned in 16 01 11
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14
16 01 22	components not otherwise specified
16 06	batteries and accumulators
16 06 01*	lead batteries
16 06 05	other batteries and accumulators

Table S2.2 Permitted waste types and quantities for Household, commercial and industrial waste transfer station with treatment and asbestos storage facility.	
Maximum Quantities	The total quantity of waste accepted at the site shall be less than 75,000 tonnes a year.
Exclusions	Wastes having any of the following characteristics shall not be accepted: Consisting solely or mainly of dusts, powders or loose fibres Wastes that are in a form which is either sludge or liquid
Waste Code	Description
01	WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS
01 01	Wastes from mineral excavation
01 01	Wastes from mineral metalliferous excavation
01 01 02	Wastes from mineral non-metalliferous excavation
01 03	Wastes from physical and chemical processing of metalliferous minerals
01 03 06	Tailings other than those mentioned in 01 03 04 and 01 03 05
01 03 09	Red mud from alumina production other than the wastes mentioned in 01 03 07
01 04	Wastes from physical and chemical processing of non-metalliferous minerals
01 04 08	Waste gravel and crushed rocks other than those mentioned in 01 04 07
01 04 09	Waste sand and clays
01 04 11	Wastes from potash and rock salt processing other than those mentioned in 01 04 07
01 04 12	Tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11
01 04 13	Wastes from stone cutting and sawing other than those mentioned in 01 04 07
02	WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING
02 01	Wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 03	Plant-tissue waste
02 01 04	Waste plastics (except packaging)
02 01 07	Wastes from forestry
02 01 10	Waste metal
02 02	Wastes from the preparation and processing of meat, fish and other foods of animal origin
02 02 03	Materials unsuitable for consumption or processing
02 03	Wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 04	Materials unsuitable for consumption or processing
02 04	Wastes from sugar processing
02 04 01	Soil from cleaning and washing beet
02 04 02	Off-specification calcium carbonate
02 05	Wastes from the dairy products industry
02 05 01	Materials unsuitable for consumption or processing
02 06	Wastes from the baking and confectionery industry

02 06 01	Materials unsuitable for consumption or processing
02 06 02	Wastes from preserving agents
02 07	Wastes from the production of alcoholic and non-alcoholic beverages (except coffee, tea and cocoa)
02 07 01	Wastes from washing, cleaning and mechanical reduction of raw materials
02 07 02	Wastes from spirits distillation
02 07 04	Materials unsuitable for consumption or processing
03	WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD
03 01	Wastes from wood processing and the production of panels and furniture
03 01 01	Waste bark and cork
03 01 05	Sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04
03 03	Wastes from pulp, paper and cardboard production and processing
03 03 01	Waste bark and wood
03 03 07	Mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	Wastes from sorting of paper and cardboard destined for recycling
03 03 10	Fibre rejects, fibre-, filler- and coating-sludges from mechanical separation
04	WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES
04 01	Wastes from the leather and fur industry
04 01 08	Waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium
04 01 09	Wastes from dressing and finishing
04 02	Wastes from the textile industry
04 02 21	Wastes from unprocessed textile fibres
04 02 22	Wastes from processed textile fibres
06	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 09	Wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes
06 09 02	Phosphorous slag
06 09 04	Calcium-based reaction wastes other than those mentioned in 06 09 03
06 11	Wastes from the manufacture of inorganic pigments and opacifiers
06 11 01	Calcium-based reaction wastes from titanium dioxide production
07	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02	Wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 13	Waste plastic
09	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01	Wastes from the photographic industry
09 01 07	Photographic film and paper containing silver or silver compounds
09 01 08	Photographic film and paper free of silver or silver compounds
09 01 10	Single-use cameras without batteries

09 01 12	Single-use cameras containing batteries other than those mentioned in 09 01 11
10	WASTES FROM THERMAL PROCESSES
10 01	Wastes from power stations and other combustion plants (except 19)
10 01 01	Bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)
10 01 05	Calcium-based reaction wastes from flue-gas desulphurisation in solid form
10 01 07	Calcium-based reaction wastes from flue-gas desulphurisation in sludge form
10 01 15	Bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14
10 01 19	Wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18
10 01 24	Sands from fluidised beds
10 02	Wastes from the iron and steel industry
10 02 01	Wastes from the processing of slag
10 02 02	Unprocessed slag
10 02 08	Solid wastes from gas treatment other than those mentioned in 10 02 07
10 02 10	Mill scales
10 02 14	Filter cakes from gas treatment other than those mentioned in 10 02 13
10 02 15	Other filter cakes
10 03	Wastes from aluminium thermal metallurgy
10 03 02	Anode scraps
10 03 05	Waste alumina
10 03 16	Skimmings other than those mentioned in 10 03 15
10 03 18	Carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17
10 03 24	Solid wastes from gas treatment other than those mentioned in 10 03 23
10 03 26	Filter cakes from gas treatment other than those mentioned in 10 03 25
10 03 28	Wastes from cooling-water treatment other than those mentioned in 10 03 27
10 03 30	Wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29
10 04	Wastes from lead thermal metallurgy
10 04 10	Wastes from cooling-water treatment other than those mentioned in 10 04 09
10 05	Wastes from zinc thermal metallurgy
10 05 01	Slags from primary and secondary production
10 05 09	Wastes from cooling-water treatment other than those mentioned in 10 05 08
10 05 11	Dross and skimmings other than those mentioned in 10 05 10
10 06	Wastes from copper thermal metallurgy
10 06 01	Slags from primary and secondary production
10 06 02	Dross and skimmings from primary and secondary production
10 06 10	Wastes from cooling-water treatment other than those mentioned in 10 06 09
10 07	Wastes from silver, gold and platinum thermal metallurgy
10 07 01	Slags from primary and secondary production

10 07 02	Dross and skimmings from primary and secondary production
10 07 03	Solid wastes from gas treatment
10 07 05	Filter cakes from gas treatment
10 07 08	Wastes from cooling-water treatment other than those mentioned in 10 07 07
10 08	Wastes from other non-ferrous thermal metallurgy
10 08 09	Other slags
10 08 11	Dross and skimmings other than those mentioned in 10 08 10
10 08 13	Carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12
10 08 14	Anode scrap
10 08 18	Filter cakes from flue-gas treatment other than those mentioned in 10 08 17
10 08 20	Wastes from cooling-water treatment other than those mentioned in 10 08 19
10 09	Wastes from casting of ferrous pieces
10 09 03	Furnace slag
10 09 06	Casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05
10 09 08	Casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07
10 09 14	Waste binders other than those mentioned in 10 09 13
10 09 16	Waste crack-indicating agent other than those mentioned in 10 09 15
10 10	Wastes from casting of non-ferrous pieces
10 10 03	Furnace slag
10 10 06	Casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05
10 10 08	Casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07
10 10 14	Waste binders other than those mentioned in 10 10 13
10 10 16	Waste crack-indicating agent other than those mentioned in 10 10 15
10 11	Wastes from manufacture of glass and glass products
10 11 03	Waste glass-based fibrous materials
10 11 10	Waste preparation mixture before thermal processing, other than those mentioned in 10 11 09
10 11 12	Waste glass other than those mentioned in 10 11 11
10 11 16	Solid wastes from flue-gas treatment other than those mentioned in 10 11 15
10 11 18	Filter cakes from flue-gas treatment other than those mentioned in 10 11 17
10 12	Wastes from manufacture of ceramic goods, bricks, tiles and construction products
10 12 01	Waste preparation mixture before thermal processing
10 12 05	Filter cakes from gas treatment
10 12 06	Discarded moulds
10 12 08	Waste ceramics, bricks, tiles and construction products (after thermal processing)

10 12 10	Solid wastes from gas treatment other than those mentioned in 10 12 09
10 12 12	Wastes from glazing other than those mentioned in 10 12 11
10 13	Wastes from manufacture of cement, lime and plaster and articles and products made from them
10 13 01	Waste preparation mixture before thermal processing
10 13 04	Wastes from calcination and hydration of lime
10 13 07	Filter cakes from gas treatment
10 13 10	Wastes from asbestos-cement manufacture other than those mentioned in 10 13 09
10 13 11	Wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
10 13 13	Solid wastes from gas treatment other than those mentioned in 10 13 12
10 13 14	Waste concrete
11	WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO METALLURGY
11 01	Wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising)
11 01 10	Filter cakes other than those mentioned in 11 01 09
11 01 14	Degreasing wastes other than those mentioned in 11 01 13
11 02	Wastes from non-ferrous hydrometallurgical processes
11 02 03	Wastes from the production of anodes for aqueous electrolytical processes
11 02 06	Wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05
11 05	Wastes from hot galvanising processes
11 05 01	Hard zinc
11 05 02	Zinc ash
12	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01	Wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 01	Ferrous metal filings and turnings
12 01 03	Non-ferrous metal filings and turnings
12 01 05	Plastics shavings and turnings
12 01 13	Welding wastes
12 01 17	Waste blasting material other than those mentioned in 12 01 16
12 01 21	Spent grinding bodies and grinding materials other than those mentioned in 12 01 20
15	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01	Packaging (including separately collected municipal packaging waste)
15 01 01	Paper and cardboard packaging
15 01 02	Plastic packaging
15 01 03	Wooden packaging
15 01 04	Metallic packaging

15 01 05	Composite packaging
15 01 06	Mixed packaging
15 01 07	Glass packaging
15 01 09	Textile packaging
15 02	Absorbents, filter materials, wiping cloths and protective clothing
15 02 03	Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	End-of-life vehicles from different means of transport [including off-road machinery] and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 03	End-of-life-tyres
16 02	Wastes from electrical and electronic equipment
16 02 11*	discarded equipment containing chlorofluorocarbons, HCFC, HFC
16 02 13*	discarded equipment containing hazardous components other than those mentioned in 16 02 09 to 16 02 12
16 02 14	Discarded equipment other than those mentioned in 16 02 09 to 16 02 13
16 02 16	Components removed from discarded equipment other than those mentioned in 16 02 15
16 03	Off-specification batches and unused products
16 03 04	Inorganic wastes other than those mentioned in 16 03 03
16 03 06	Organic wastes other than those mentioned in 16 03 05
16 06	Batteries and accumulators
16 06 04	Alkaline batteries (except 16 06 03)
16 06 05	Other batteries and accumulators
16 11	Waste linings and refractories
16 11 02	Carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01
16 11 04	Other linings and refractories from metallurgical processes other than those mentioned in 16 11 03
16 11 06	Linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01	Concrete, bricks, tiles and ceramics
17 01 01	Concrete
17 01 02	Bricks
17 01 03	Tiles and ceramics
17 01 07	Mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	Wood, glass and plastic
17 02 01	Wood
17 02 02	Glass

17 02 03	Plastic
17 03	Bituminous mixtures, coal tar and tarred products
17 03 02	Bituminous mixtures other than those mentioned in 17 03 01
17 04	Metals (including their alloys)
17 04 01	Copper, bronze, brass
17 04 02	Aluminium
17 04 03	Lead
17 04 04	Zinc
17 04 05	Iron and steel
17 04 06	Tin
17 04 07	Mixed metals
17 04 11	Cables other than those mentioned in 17 04 10
17 05	Soil (including excavated soil from contaminated sites), stones and dredging spoil
17 05 04	Soil and stones other than those mentioned in 17 05 03
17 05 08	Track ballast other than those mentioned in 17 05 07
17 06	Insulation materials and asbestos-containing construction materials
17 06 01*	Insulation materials containing asbestos
17 06 04	Insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 06 05*	Construction materials containing asbestos
17 08	Gypsum-based construction material
17 08 02	Gypsum-based construction materials other than those mentioned in 17 08 01
17 09	Other construction and demolition wastes
17 09 04	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
19	WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION/INDUSTRIAL USE
19 01	Wastes from incineration or pyrolysis of waste
19 01 02	Ferrous materials removed from bottom ash
19 01 12	Bottom ash and slag other than those mentioned in 19 01 11
19 01 18	Pyrolysis wastes other than those mentioned in 19 01 17
19 01 19	Sands from fluidised beds
19 02	Wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)
19 02 03	Premixed wastes composed only of non-hazardous wastes
19 02 10	Combustible wastes other than those mentioned in 19 02 08 and 19 02 09
19 04	Vitrified waste and wastes from vitrification
19 04 01	Vitrified waste
19 05	Wastes from aerobic treatment of solid wastes
19 05 01	Non-composted fraction of municipal and similar wastes
19 05 02	Non-composted fraction of animal and vegetable waste

19 05 03	Off-specification compost
19 12	Wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 01	Paper and cardboard
19 12 02	Ferrous metal
19 12 03	Non-ferrous metal
19 12 04	Plastic and rubber
19 12 05	Glass
19 12 07	Wood other than that mentioned in 19 12 06
19 12 08	Textiles
19 12 09	Minerals (for example sand, stones)
19 12 10	Combustible waste (refuse derived fuel)
19 13	Wastes from soil and groundwater remediation
19 13 02	Solid wastes from soil remediation other than those mentioned in 19 13 01
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01	Separately collected fractions (except 15 01)
20 01 01	Paper and cardboard
20 01 02	Glass
20 01 08	Biodegradable kitchen and canteen waste
20 01 10	Clothes
20 01 11	Textiles
20 01 21*	fluorescent tubes and other mercury-containing waste
20 01 23*	discarded equipment containing chlorofluorocarbons
20 01 34	Batteries and accumulators other than those mentioned in 20 01 33
20 01 36	Discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35
20 01 38	Wood other than that mentioned in.20 01.37
20 01 39	Plastics
20 01 40	Metals
20 01 41	Wastes from chimney sweeping
20 02	Garden and park wastes (including cemetery waste)
20 02 01	Biodegradable waste
20 02 02	Soil and stones
20 03	Other municipal wastes
20 03 01	Mixed municipal waste
20 03 02	Waste from markets
20 03 03	Street-cleaning residues
20 03 07	Bulky waste

Schedule 3 – Emissions and monitoring

There are no emission limits or associated monitoring requirements.

Schedule 4 – Reporting

There is no reporting under this schedule.

Schedule 5 – Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution	
To be notified within 24 hours of detection	
Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	

(b) Notification requirements for the breach of a limit	
To be notified within 24 hours of detection unless otherwise specified below	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B – to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 – Interpretation

“accident” means an accident that may result in pollution.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“baling” means baling that utilises a hydraulic machine that using compressive forces compacts various materials into regular-shaped dense bales (typically a cube). Bales may be belted with straps or steel wire to keep the bale in its compacted state; although for most metal bales this is not necessary. Baled scrap metal may be easier to handle, store and transport than loose scrap.

“compacting” means compacting involving the flattening or crushing of compactable metal wastes to aid storage and economic transportation to the scrap processor; it is often a preparation for shredding. Compacting may be achieved using a waste handler’s loading shovel (known as “tapping”) or specially-designed hydraulic flattener.

“cutting” means cutting typically utilising either an oxy-acetylene gas cutting torch or abrasive disc cutter to cut and/or resize large pieces of scrap metal into more manageable sizes; powder torches and plasma torches may be used to cut heat-resistant scrap e.g. pig iron, copper, bronze).

“depollution” means the minimum technical requirements for the treatment of end-of-life vehicles as set out in Annex I (3) of the End-of-Life Vehicles Directive (2000/53/EC), namely:

- removal of batteries and liquefied gas tanks;
- removal or neutralisation of potential explosive components (e.g. air bags);
- removal and separate collection and storage of fuel, motor oil, transmission oil, gearbox oil, hydraulic oil, cooling liquids, antifreeze, brake fluids, air conditioning system fluids and gases, and any other fluid contained in the end-of-life vehicle unless they are necessary for the re-use of the parts concerned;
- removal, as far as feasible, of all components identified as containing mercury.

“disposal” means any of the operations provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

“grading” means the sorting of metals to industry-agreed specifications ready for use, without the need for further treatment, by the end consumer to manufacture new metals.

“granulating” means granulated to a very small size with metal/non-metal separation by air classification and flotation.

“groundwater” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“hazardous property” has the meaning in Annex III of the Waste Framework Directive.

“hazardous waste” has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005 No.894, the Hazardous Waste (Wales) Regulations 2005 No. 1806 (W.138), the List of Wastes (England) Regulations 2005 No.895 and the List of Wastes (Wales) Regulations 2005 No. 1820 (W.148).

“impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface.

“industrial Emissions Directive” means DIRECTIVE 2010/75/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 November 2010 on industrial emissions

“list of Wastes” means the list of wastes established by Commission Decision 2000/532/EC replacing Decision 94/3/EC establishing a list of wastes pursuant to Article 1(a) of Council Directive 75/442/EEC on waste and Council Decision 94/904/EC establishing a list of hazardous waste pursuant to Article 1(4) of Council Directive 91/689/EEC on hazardous waste, as amended from time to time.

“MCERTS” means the Environment Agency’s Monitoring Certification Scheme.

“pests” means Birds, Vermin and Insects.

“quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“recovery” means any of the operations provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“sealed drainage system” in relation to an impermeable surface, means a drainage system with impermeable components which does not leak and which will ensure that:

- no liquids will run off the surface otherwise than via the system
- all liquids entering the system are collected in a sealed sump, except where liquids may be lawfully discharged.

“separation” means separating wastes into different material types, components and grades.

“shearing” means utilises a range of hydraulic machinery that comprise hard steel blades which cut metals into manageable sizes. It may be hand-held, static or attached to mobile plant (e.g. cranes).

“sorting” means sorting that may be undertaken by hand or machinery. Sorting enables materials to be processed and recycled appropriately. It may involve separation of different waste types or the separation of different metal types including different ferrous metals, non-ferrous metals and non-metallic materials (e.g. paper and plastic). The sorted metals are graded by visual inspection, supplemented by chemical and other laboratory tests. The physical sorting may be assisted by conveyors and electromagnets.

“waste code” means the six digit code referable to a type of waste in accordance with the List of Wastes (England) Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

“Waste Framework Directive” or “WFD” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste

“waste motor vehicle” means a wheeled vehicle for use on land and that does not operate on rails that is waste within the meaning of Article 3(1) of the Waste framework Directive.

“WEEE” means waste electrical and electronic equipment.

“year” means calendar year ending 31 December.


Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or

- in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content.

Schedule 7 – Site plan



©Crown Copyright. All rights reserved. Environment Agency, 100026380, 2020.

END OF PERMIT